

emco IMAGE ECO carpet mats

With new yarn and ecological benefits



emco **IMAGE ECO**





The result: a unique new development from the fibre sector for the global preservation of resources.

The ECONYL® Regeneration System project, a highly original industrial research and innovation process that is helping to sustain the environment, was started by the Aquafil Group.

Nylon waste, such as fishing nets that are no longer usable, and carpet and fabric scraps that would otherwise be destined for disposal, is collected and converted into new yarn. ECONYL® regenerated nylon has exactly the same properties as newly made nylon, but with the added bonus of sustainability.

- Waste is not disposed of but used as a recyclable material
- Ideal for limiting waste, effective against climate change
- Reduces the greenhouse effect of nylon by up to 90% compared to material newly made from oil
- Positive energy footprint with regenerated materials
- Lower electricity and water consumption, fewer CO₂ emissions
- Nylon waste is turned into ECONYL® regenerated yarn
- OEKO-TEX-certified yarn



As ECONYL® fibres are regenerated entirely from recycled materials, this removes the need for many of the upstream processes normally required to manufacture a conventional yarn:

10,000 tonnes of ECONYL® raw materials

> **SAVE** 70,000 barrels of crude oil and **AVOID** 65,100 tons of CO₂ emissions

Production of conventional yarn











Oil processing

Preproduction

Polymerisation

Yarn production

Identical production steps

Production of ECONYL® yarn











Polymerisation

Yarn production







emco IMAGE ECO





Benefits for you

- Environmentally friendly yarn production
- Up to 85% energy saving
- Positive energy footprint with regenerated materials
- OEKO-TEX-certified yarn
- High-resolution, elegant print image
- Stronger, richer colours
- Industrial laundering up to 60 °C
- Colourfastness even after several washes
- Easy care
- Custom print designs
- **IMAGE STYLE ECO** for additional benefit of bespoke mat shapes

Technical data

■ Pile material:

100% polyamide ECONYL® brand-name fibre, pile weight approx. 900 g/m²

■ Backing material:

Nitrile rubber coating, thickness approx. 1.4 mm + 1.1 mm reinforced border

- Total mat height: approx. 9 10 mm
- Total weight: 2,700 g/m²







free fron **PVC**

emco Bautechnik GmbH Postfach 1860 D-49803 Lingen (Ems) Germany Tel. (+49) 591 9140 500 Fax (+49) 591 9140 852 bau@emco.de

Your personal contact person can be found at:

www.emco-bau.com

