

emco Bau

Clean-off system MAXIMUS® Image

Model	MAXIMUS® Image Creative and image-conscious
Construction	Tufting-Velours 1/8"
Pile above substrate	100% polyamide
Substrate material	Polyester fleece
Backing material	For mat size up to 200 x 500 cm 1.4 mm nitrile rubber backing. From mat size bigger than 200 x 500 cm polyvinyl chloride
Pile weight / fibre weight	1000 g/m ²
Total weight (g/m²)	3410 g/m ²
Overall height (mm)	9 mm
Combustion/fire behaviour	Bfl-s1
Slip resistance	DS (EN 13893)
Colours	01.100.S 01.30.S 03.260.S 04.10.S 04.110.S 04.60.S 05.190.S 05.210.S 05.270.S 06.120.S 06.130.S 06.180.S 06.200.S 06.70.S 07.160.S 07.220.S 07.230.S 07.280.S 07.60.S 01.110.B 01.170.B 01.20.B

01.40.B
01.60.B
02.130.B
02.170.B
02.20.B
02.220.B
02.230.B
02.30.B
02.40.B
02.50.B
02.60.B
02.70.B
02.80.B
03.100.B
03.140.B
03.150.B
03.160.B
03.170.B
03.200.B
03.210.B
03.240.B
03.270.B
03.280.B
03.50.B
03.60.B
03.80.B
04.20.B
04.40.B
04.90.B
05.150.B
05.170.B
05.180.B
05.20.B
05.240.B
05.260.B
05.330.B
05.40.B
05.70.B
05.80.B

06.140.B
06.160.B
06.20.B
06.270.B
06.280.B
06.30.B
06.40.B
06.60.B
06.80.B
07.10.B
07.180.B
07.190.B
07.50.B
07.70.B
07.90.B

Colour fastness to artificial light ISO 105-B02

≥5

Colour fastness to rubbing ISO 105 X12

≥4

Colour fastness to water ISO 105 E01

≥5

Supplied as rolls

Made to measure up to a max. width of 200 cm
Special dimensions on request

Product characteristics

Soiling and moisture absorption

Brand

emco

Dimensions

Width:.....m

Length:.....m

Contact

emco Bautechnik GmbH · Memeler Straße 30 · D-42781
Haan Germany · Tel.: +49 (0)21 29/34 75 80 · Telefax: +49
(0)21 29/34 75 810 E-Mail: sauberlauf@emco.de · www.
emco-bau.com