

# extremely busy locations





# The entrance mat as a design element

The emcoTWINGUARD entrance mat is ideally suited to being a deliberate design element in your entrance area, as its alternating nylon-pile rubber wiping strips and aluminium or brass scraping profiles create an attractive look. In addition, both the profiles and the inserts are available in different colours. Last but by no means least, the mat provides great functionality.








# emco TWINGUARD

emcoTWINGUARD ensures excellent performance and a standout look in very busy locations. The mat absorbs coarse and fine dirt as well as moisture, and the inserts can be used on both sides – which means double the service life.

The wiping strips are available in two different widths.




emco TWINGUARD 18 nylon pile (NF) & aluminium







Black




emcoTWINGUARD 18 rubber (G) & aluminium

















# emco **AVIATOR**


The particularly wide and strong profile in lengths of 1500 and 2200 mm provides high dirt absorption and makes the system the perfect choice for heavily frequented areas. It is available in two colours for a more individual look.

Thanks to the double profile and practical clip-together connection, simple, fast and precise assembly is guaranteed. The only requirement is an even, flat mat well.

The mat is highly resilient, has extra-high and -wide walking-sound insulation and is easy to clean with a vacuum cleaner.


### emco AVIATOR 12


Profile length	Height	Width	
1.500 mm	12 mm	110 mm	
2.200 mm	12 mm		



### emco AVIATOR 17

Profile length	Height	Width
1.500 mm	17	104
2.200 mm	17 mm	104 mm







# The mat for extremely busy locations

Top performance: the emcoGS17 entrance mat combines the tried-and-tested design of an emco entrance mat with a closed function for indoor and outdoor use. Any geometric form can be produced, making a completely bespoke design possible. The integrated scraper bar ensures the reliable removal of coarse dirt.








# emco GS 17

This closed-version system alternative for buildings with very high footfall is particularly good at absorbing coarse dirt — this is ensured by rigid aluminium profiles and weather-proof profiled rubber inserts. Mat height is 17 mm.


Туре	Insert	Approx. height (mm)
GS 17 R	Ribbed carpet	17
GS 17 G	Rubber	17




## **GS 17 G**











Awards









Memberships/associations







### emco Service



We know how diverse project requirements can be. That's why we are happy to work with you to develop solutions for your project and offer many other practical services:

- telephone, digital and personal project guidance
- technical measuring service
- personal contact at www.emco-bau.com
- texts for invitation to tender at www.emco-bau.com

emco UK Ltd.
emco Bautechnik GmbH 5 Plough Road
Postfach 1860 Wellington
D-49803 Lingen (Ems) Telford
Germany TF1 1ET

Tel. (+49) 591 9140 500 Tel. (+44) 01952 256446
Fax (+49) 591 9140 852 Fax (+44) 01952 262940
bau@emco.de enquiries@emcouk.co.uk