


# Model OUTDOOR



Long-lasting full-loop for effective dirt removal.

- 1 2 3 Indoor and covered outdoor areas (zones 1 and 2)

**Description**

The right choice for covered outdoor areas. Durable due to extremely high weather-resistance. Optimum absorption of coarse dirt and lays perfectly. Available as rolls or mats.



Anti-static



Suitable for stairs



DS (EN 13893)



Resistant strength



Cfl-s1



Comfort level: simple



class 33 (heavy commercial use)

## Clean-off system

---

# Model OUTDOOR

<b>Construction</b>	5/32" tufting
<b>Pile above substrate</b>	100% polyamide
<b>Substrate material</b>	Polyester fleece
<b>Backing material</b>	Heavy coating
<b>Pile weight / fibre weight</b>	600
<b>Total weight (g/m<sup>2</sup>)</b>	3.200
<b>Overall height (mm)</b>	8
<b>Tuft density/m<sup>2</sup></b>	64.000
<b>Slip resistance</b>	DS (EN 13893)
<b>Certificates</b>	CE conformity EN 14041 (rolls only)
<b>Supplied as rolls</b>	100 cm wide (incl. border) 200 cm wide (incl. border)

<b>Supplied as mats</b>	60 x 90 cm (incl. border) 90 x 150 cm (incl. border)
<b>Product characteristics</b>	Soiling and moisture absorption
<b>Laying</b>	Individual rolls or smaller coverings can be laid loose on any smooth floor. For larger areas, and allowing for on-site conditions, we recommend fixed laying with an adhesive suitable for plasticised PVC.
<b>Cleaning</b>	Dirt removal with powerful brush vacuum cleaner. The spray extraction process is recommended for periodic basic cleaning. Cleaning with plenty of water is absolutely no problem, water temperature should not be above 40°C. Do not use chlorinated hydrocarbon (Tetra).
<b>Brand</b>	emco

# Model OUTDOOR


## Colours



Anthracite



Brown



Red

Subject to technical modifications

emco Bautechnik GmbH · Memeler Straße 30 · D-42781 Haan · Germany · Tel.:  
+49 (0)21 29/34 75 80 · Telefax: +49 (0)21 29/34 75 810 · E-Mail: sauberlauf@  
emco.de · www.emco-bau.com

