


Model OUTDOOR



Long-lasting full-loop for effective dirt removal.



Indoor and covered outdoor areas (zones 1 and 2)

Description

The right choice for covered outdoor areas. Durable due to extremely high weather-resistance. Optimum absorption of coarse dirt and lays perfectly. Available as rolls or mats.



Anti-static



Suitable for stairs



DS (EN 13893)



Resistant strength



Cfl-s1



Comfort level: simple
class 33 (heavy commercial use)



Model OUTDOOR

Construction	5/32" tufting
Pile above substrate	100% polyamide
Substrate material	Polyester fleece
Backing material	Heavy coating
Pile weight / fibre weight	600
Total weight (g/m²)	3.200
Overall height (mm)	8
Tuft density/m²	64.000
Slip resistance	DS (EN 13893)
Certificates	CE conformity EN 14041 (rolls only)
Supplied as mats	60 x 90 cm (incl. border)

Product characteristics	Soiling and moisture absorption
Laying	Individual rolls or smaller coverings can be laid loose on any smooth floor. For larger areas, and allowing for on-site conditions, we recommend fixed laying with an adhesive suitable for plasticised PVC.
Cleaning	Dirt removal with powerful brush vacuum cleaner. The spray extraction process is recommended for periodic basic cleaning. Cleaning with plenty of water is absolutely no problem, water temperature should not be above 40°C. Do not use chlorinated hydrocarbon (Tetra).
Brand	emco

Model OUTDOOR


Colours



Anthracite



Brown



Red

Subject to technical modifications

emco Bautechnik GmbH · Memeler Straße 30 · D-42781 Haan · Germany · Tel.:
+49 (0)21 29/34 75 80 · Telefax: +49 (0)21 29/34 75 810 · E-Mail: sauberlauf@
emco.de · www.emco-bau.com

emco