



emco DIPLOMAT Premium Large With Conform insert and scraping edge

Model 512 PL Conform K



The extra-wide premium entrance mat with the Conform insert made of recycled materials is the perfect complement to wooden surroundings and can be used in a whole host of environments. Particularly ideal for collecting fine dirt. Optimally designed for buildings exposed to extreme footfall.

- 1 2 3 Indoor and outdoor (covered, Zone 1+2)

Description

Rollable and hard-wearing premium entrance mat with extra-wide profile bars and performance insert for supported installation options. Customisable widths and walking depths available without a compensation profile. Available in any geometric shape.

- 
 Indoor and outdoor (covered, Zone 1+2)
- 
 Street dust, hair, sand, ash, textile fibres, small leaves and twigs, etc.
- 
 Damp street dust, damp sand deposits, dust, etc.
- 
 5 years guarantee
- 
 Cfl-s1



class 32 (general commercial use)



emco DIPLOMAT Premium Large With Conform insert and scraping edge


Model 512 PL Conform K

Approx. height (mm)	12	Accessories
Roll-over and drive-over capability:	Prams	emco installation frame 500: 500-15 AL Aluminium
	Sack-/hand truck	emco installation frame 500: 500-15 CN Chrome-nickel steel (V2A)
	Wheelchairs	emco ramp edge: A12 Aluminium
Standard profile clearance approx. (mm)	5 mm, rubber spacers	emco cover strip: C12 Chrome-nickel steel (V2A)
Automatic door systems	Profile clearance of 3 mm available as an option for revolving door drives, in accordance with EN 16005	emco INOX®: LINEO 12 Chrome-nickel steel (V2A)
Connection	Plastic-coated stainless steel cable	Rubber underlay 1 mm: GU 1
Max. width/profile length for individual section (mm):	3000	Rubber underlay 3 mm: GU 3
Profile width (mm)	44	Rubber underlay 5 mm: GU 5
Depth/walking depth for individual section (mm):	1500	Mat joining brackets: MV Supplied as standard with mats in several parts
Weight (kg/m²)	9.3	
Mat divisions as per factory standards or customer specifications	from a profile length of 3000 mm or a maximum mat weight of 25 kg	Suitable for:
Support chassis	Made using rigid aluminium with Premium sound absorbing insulation on the underside	Residential and care homes
Tread surface	The Conform insert made of recycled materials is the perfect complement to wooden surroundings and can be used in a whole host of environments. The additional profile increases the cleaning power.	medical practice
Flammability	Insert with fire classification Cf1-s1 according to EN 13501.	Family home
Pile material	100% PA 6 (polyamide)	Apartment building
Use classification EN1307	class 33 (heavy commercial use)	Sports hall
		Insert certified to TÜV PROFiCERT- product interior (Standard)
		French VOC regulation
		LEED v4 (outside North America)
		BREEAM Exemplary Level
		Belgian VOC regulation
		AgBB (Committee for Health-related Evaluation of Building Products)
		MVV TB Appendix 8, 9 / ABG
		Service and services
		Construction site advice
		Dimensioning
		Measured using laser measuring device on site.
		Installation service
		Fitting and installation service
		Repairs
		The product can be disposed of or recycled in an environmentally friendly way.

emco DIPLOMAT Premium Large With Conform insert and scraping edge

Model 512 PL Conform K

Colours



76.01 Anthracite



76.02 Beige



76.04 Brown

Subject to technical modifications

emco Bautechnik GmbH · Breslauer Straße 34 - 38 · D-49808 Lingen (Ems)
· Germany · Phone: +49 (0) 591/9140-500 · Fax: +49 (0) 591/9140-852 · Email:
bau@emco.de · www.emco-bau.com

