


# emco MARSCHALL Original Large With ribbed carpet insert and scraper bar

## Model 512 SLRK



The extra-wide original entrance mat with the successful coarse-fibre ribbed insert is extremely abrasion-resistant and provides maximum dimensional stability. Particularly suitable for collecting fine dirt. The additional profile provides an extra cleaning effect. Ideal for buildings with normal to heavy loads.

- 1
  - 2
  - 3
- Indoor and outdoor (covered, Zone 1+2)

### Description

Rollable, extremely hard-wearing, original entrance mat with extra-wide profile bars and standard insert for supported installation options. Customisable widths and walking depths available without a compensation profile. Available in any geometric shape.



- Indoor and outdoor (covered, Zone 1+2)
- Street dust, hair, sand, ash, textile fibres, small leaves and twigs, etc.
- 4 Year Guarantee
- 4 year warranty

# emco MARSCHALL Original Large With ribbed carpet insert and scraper bar

## Model 512 SLRK

|  |   |  |  |
|--|---|--|--|
| <b>Approx. height (mm)</b>   | 12  | <b>Accessories</b>   | emco installation frame 500: 500-15 AL Aluminium                         |
| <b>Roll-over and drive-over capability:</b>                              | Prams   | emco installation frame 500: 500-15 CN Chrome-nickel steel (V2A)               | emco ramp edge: A12 Aluminium  |
|  | Sack-/hand truck  | emco cover strip: C12 Chrome-nickel steel (V2A)                                | emco INOX®: LINEO 12 Chrome-nickel steel (V2A)                           |
|  | Wheelchairs   | Rubber underlay 1 mm: GU 1   | Rubber underlay 3 mm: GU 3   |
| <b>Standard profile clearance approx. (mm)</b>                           | 5 mm, rubber spacers  | Rubber underlay 5 mm: GU 5   | Mat joining brackets: MV Supplied as standard with mats in several parts |
| <b>Automatic door systems</b>  | Profile clearance of 3 mm available as an option for revolving door drives, in accordance with EN 16005     |  |  |
| <b>Connection</b>  | Plastic-coated steel cable  |  |  |
| <b>Max. width/profile length for individual section (mm):</b>            | 3000  | <b>Suitable for:</b>   | Residential and care homes   |
| <b>Profile width (mm)</b>  | 46.5  |  | medical practice   |
| <b>Depth/walking depth for individual section (mm):</b>                  | 800   |  | Offices and administrative buildings                                     |
| <b>Weight (kg/m<sup>2</sup>)</b>   | 9.5   |  | Family home  |
| <b>Mat divisions as per factory standards or customer specifications</b> | from a profile length of 3000 mm or a maximum mat weight of 25 kg   |  | Retail sector  |
| <b>Support chassis</b>   | Reinforced support chassis made using rigid aluminium with sound absorbing insulation on the underside      |  | Hotel  |
| <b>Tread surface</b>   | Recessed, robust, weather-proof, ribbed carpet strips, also with scraper bars mounted between the profiles. |  | Kindergarten/Nursery   |
| <b>Flammability</b>  | Insert available on request (surcharge applicable) with fire classification Cf1-s1 according to EN 13501.   |  | Apartment building   |
| <b>Pile material</b>   | 100% PP (polypropylene)   |  | School   |
| <b>Colour fastness to artificial light ISO 105-B02</b>                   | good 6  | <b>Insert certified to TÜV PROFiCERT- product interior (Standard)</b>          | Sports hall  |
| <b>Colour fastness to rubbing ISO 105 X12</b>                            | good 4  | French VOC regulation  |  |
| <b>Colour fastness to water ISO 105 E01</b>                              | good 5  | LEED v4 (outside North America)  |  |
|  |   | BREEAM Exemplary Level   |  |
|  |   | Belgian VOC regulation   |  |
|  |   | AgBB (Committee for Health-related Evaluation of Building Products)            |  |
|  |   | MVV TB Appendix 8, 9 / ABG   |  |
|  |   | <b>Service and services</b>  |  |
|  |   | Construction site advice   |  |
|  |   | Dimensioning   |  |
|  |   | Measured using laser measuring device on site.                                 |  |
|  |   | Installation service   |  |
|  |   | Fitting and installation service   |  |
|  |   | Repairs  |  |
|  |   | The product can be disposed of or recycled in an environmentally friendly way. |  |

# emco MARSCHALL Original Large With ribbed carpet insert and scraper bar

---

## Model 512 SLRK

### Colours



Light grey no. 220



Anthracite no. 200



Red no. 305



Brown no. 485



Sand no. 430

Subject to technical modifications

emco Bautechnik GmbH · Breslauer Straße 34 - 38 · D-49808 Lingen (Ems)  
· Germany · Phone: +49 (0) 591/9140-500 · Fax: +49 (0) 591/9140-852 · Email:  
bau@emco.de · www.emco-bau.com

