



# Model 600



**Description**  
Roll-up mat with water drainage on all sides and offering maximum hygiene, for laying on the floor




Non-slip properties in acc. with DIN 51097, classification C, angle of inclination  $\geq 24^\circ$



# Model 600

Colours



## Model 600

<b>Material</b>	Upper bars made from profiles, extremely hard-wearing hard PVC, lower bar made from black soft PVC, securely bonded  Entirely corrosion-free and resistant to chlorine, sea water and spa water.
<b>Height (mm)</b>	12
<b>Slip resistance</b>	Non-slip in accordance with DIN 51097, classification C - tested by the „Institut der Säurefließner-Vereinigung“ (Säurefließner consortium)
<b>Comment</b>	Note: Hygiene mats are only conditionally suitable for installation underwater!
<b>Cut</b>	max. 2000 mm
<b>Usage area</b>	Indoor and outdoor pools Adventure pools and thermal baths Sports centres Schools Saunas Rehabilitation clinics and hospitals Hotels Shower facilities

<b>Usage area</b>	Dental and chemical laboratories Gastronomy Fitness studios Solariums
<b>Usage area</b>	Passageways on boats, etc.
<b>Usage area</b>	Swimming pools Saunas Showers (bathrooms)
<b>Dimensions</b>	Produced to fit width and depth perfectly without the need for alignment profiles
<b>Properties</b>	Aesthetically pleasing Good water drainage Completely hygienic Prevents athlete's foot Wide choice of colours
<b>Standard width (mm)</b>	600 800 1000

Subject to technical modifications