


# Model INNOVA











An innovative, high-quality clean-off solution that can be adapted perfectly to suit all requirements relating to design and technology, and consistently reduces dirt. It not only looks great, but also improves features such as room acoustics.

1 2 **3** Indoor areas (zone 3)

**Description**

An innovative, high-quality clean-off solution that can be adapted perfectly to suit all requirements relating to design and technology, and consistently reduces dirt. It not only looks great, but also improves features such as room acoustics.



-  Anti-static
-  Castor-resistant
-  Suitable for stairs
-  DS (EN 13893)
-  Resistant strength
-  Cfl-s1
-  High
-  class 33 (heavy commercial use)

## Clean-off system

# Model INNOVA

<b>Construction</b>	Tufting velour 5/32"	<b>Brand</b>	emco
<b>Pile above substrate</b>	100% polyamide		
<b>Substrate material</b>	Polyester fleece	<b>Suitable for:</b>	
<b>Backing material</b>	Heavy coating		Residential and care homes
<b>Pile weight / fibre weight</b>	885		Arena
<b>Total weight (g/m<sup>2</sup>)</b>	3.430		medical practice
<b>Overall height (mm)</b>	8		Train station
<b>Tuft density/m<sup>2</sup></b>	75.590		DIY store
<b>Slip resistance</b>	DS (EN 13893)		Offices and administrative buildings
<b>Certificates</b>	CE conformity EN 14041 (rolls only)		Family home
<b>Supplied as rolls</b>	100 cm wide (incl. border)		Shopping centre
	150 cm wide (incl. border)		Retail sector
	200 cm wide (incl. border)		University / Higher education institution
<b>Supplied as mats</b>	60 x 90 cm (incl. border)		airport
	90 x 150 cm (incl. border)		Hotel
	130 x 200 cm (incl. border)		Industry
	200 x 300 cm (incl. border)		Kindergarten/Nursery
<b>Product characteristics</b>	Soiling and moisture absorption		Clinic/Hospital
<b>Laying</b>	Individual rolls or smaller coverings can be laid loose on any smooth floor. For larger areas, and allowing for on-site conditions, we recommend fixed laying with an adhesive suitable for plasticised PVC.		Warehouse
			Apartment building
			Trade fair
			School
<b>Cleaning</b>	Dirt removal with powerful brush vacuum cleaner. The spray extraction process is recommended for periodic basic cleaning. Cleaning with plenty of water is absolutely no problem, water temperature should not be above 40°C. Do not use chlorinated hydrocarbon (Tetra).		Sports hall
			Supermarket

## Clean-off system


---

# Model INNOVA


### Colours



36.01 black




36.02 anthracite



36.03 grey



36.08 mocha



36.10 slate

Subject to technical modifications

emco Bautechnik GmbH · Breslauer Straße 34 - 38 · D-49808 Lingen (Ems)  
· Germany · Phone: +49 (0) 591/9140-500 · Fax: +49 (0) 591/9140-852 · Email:  
bau@emco.de · www.emco-bau.com

**EMCO**